



Hertfordshire and
West Essex Integrated
Care System



Hertfordshire and
West Essex
Integrated Care Board

Evidence Based Intervention

Female Sterilisation

July 2022 v1.0

Document Owner:	Dr Rachel Joyce – Medical Director
Document Author(s):	Clinical Policies Group
Version:	v1.0
Approved By:	Commissioning Committee
Date of Approval:	1 st July 2022
Date of Review:	1 st July 2024



Policy:

Sterilisation is an irreversible method of contraception. Female sterilisation surgery involves blocking or sealing the fallopian tubes, which link the ovaries to the uterus, thus preventing the eggs from reaching the sperm and becoming fertilised. As this procedure is invasive and requires anaesthetic it comes with associated health risks.

Female sterilisation will be funded in the following circumstances –

- It is evidenced that the patient is unable to tolerate all hormonal forms of contraception.
- The patient has been fully informed of associated health risks.

There are many methods of contraception accessible in Herts and West Essex that are overall more clinically effective and that are associated with lower health risks.

References


1. Percentage of women experiencing an unintended pregnancy within the first year of use with typical use and perfect use (modified from Trussell J. Contraceptive efficacy. In: Hatcher RA, Trussell J, Nelson AL, et al. (eds), Contraceptive Technology (20th revised edn). New York, NY: Ardent Media, 2011
2. <https://www.nhs.uk/conditions/contraception/female-sterilisation/>
<https://www.fpa.org.uk/contraception-help/sterilisation-male-and-female>

Change History:

Version	Date	Reviewer(s)	Revision Description

DOCUMENT CONTROL

This is a controlled document. Whilst this document may be printed, the electronic version posted on the intranet is the controlled copy. Any printed copies of this document are not controlled. As a controlled document, this document should not be saved onto local or network drives but should always be accessed from the website.

 *Do you really need to print this document?*

Please consider the environment before you print this document and where copies should be printed double-sided. Please also consider setting the Page Range in the Print properties, when relevant to do so, to avoid printing the policy in its entirety.



